

ANCHOR DIAMOND

Residential Product Offering



Manufactured by

ANTIQUE
BRICK & BLOCK

DREAM ~ CREATE ~ ENJOY



HUDSON STONE[™]

RETAINING WALL SYSTEM



Easy-to-handle, lightweight size.

The Hudson Stone[™] retaining wall system features a rough-hewn face texture and is designed for installation ease and efficiency. Available in Granite, Antique Beige, Midnight and Tusk colors. Also available in Hudson Firepit Kit.





Look of hand-chiseled stone.

The ChiselWall[®] retaining wall system face style is patterned after hand-hewn stones. Ideal for residential contractors and experienced do-it-yourselfers. This sturdy wall block makes the perfect product for small retaining walls and planters and is an ideal weight for easy handling. Available in Native Soil.



DIAMOND PRO[®] AIR

RETAINING WALL SYSTEM



Designed with efficiency, economy and ease of installation in mind.

- Lightweight! Only 54 lbs
- True square foot face
- Near-vertical, 4° batter
- Cores align for improved filling
- Can accommodate light fencing
- Industry-leading grid connection
- Available in Granite, Antique Beige, Midnight and Native Soil colors.




HIGHLAND STONE[®]

RETAINING WALL SYSTEM



EASY INSTALLATION IS MORE THAN LIP SERVICE.


No pins. No mortar. No misalignments. Rear-lip block, invented by Anchor, makes installation fast and accurate. Anchor — the original rear-lip product!



Highland Stone 3"/6"

Create the natural landscape of your dreams.

If you're looking for a retaining wall system that combines superior strength with artistic beauty, look no further than the Highland Stone[®] retaining wall system. Crafted with a rich, textured appearance, this multipiece system perfectly complements any home or landscape. Available by special order only, in either a 6" Virtual Joint or a 3"/6" Multi-Height style.



Highland Stone Virtual joint



Highland Stone Virtual joint


DIAMOND 10D

RETAINING WALL SYSTEM



A proven name in a 6" light weight package.

The dependability of the Diamond® retaining wall system has made it a preferred choice for decades. The Diamond 10D version has a rough-hewn face that transitions nicely into the surrounding landscape. Perfect for small to medium retaining walls. Available in Native Soil and Midnight colors.




DIAMOND PRO STONE CUT[®]

RETAINING WALL SYSTEM



Rich, faceted appearance.

Renowned for its rough-hewn face and earthen tones, the Diamond Pro Stone Cut[®] retaining wall system imparts a rich, faceted appearance not commonly found in commercial retaining walls. The performance characteristics of this concrete cut stone wall block make it the proven solution for tall walls. Available in Granite, Antique Beige, Midnight and Native Soil colors.



DIAMOND PRO STONE CUT[®] VIRTUAL JOINT

RETAINING WALL SYSTEM



The beauty of a multi-piece wall system.

With the proven strength of the Diamond Pro[®] retaining wall system technology and a natural-stone appearance, Diamond Pro Stone Cut[®] Virtual Joint products are the perfect choice for larger-scale projects that demand aesthetic beauty. Available in Canyon Slate blend or any standard Diamond Pro Stone Cut color by special order.



DIAMOND PRO[®] SMOOTH FACE

RETAINING WALL SYSTEM



Strength of Diamond Pro now in smooth.

Featuring a modern, on-trend look, Diamond Pro Smooth Face brings a refined look to the time-tested strength of the Diamond Pro retaining wall system. Complemented by a matching cap and corner/column unit to provide a seamless aesthetic for commercial and residential projects alike. Available by special order in Granite and Midnight colors.



DIAMOND PRO[®] QUARRIED FACE

RETAINING WALL SYSTEM



Experience graceful strength.

Inspired by the look of natural, unearthed stone, our Diamond Pro Quarried Face retaining wall pairs the time-tested strength of the Diamond Pro system with a premium aesthetic. Featuring a matching cap and corner/column unit to provide a seamless look that will compliment any project. Available by special order in Granite and Native Soil colors.



INSTALLATION

GUIDELINES



To complete your project, you will need the following hand tools: carpenter's level, chisel, exterior-grade concrete adhesive, garden hose, gloves, hammer, pencil, safety glasses, shovel, square, stakes, string line, tape measure. You may also need a skid-steer loader, compactor, wheelbarrow and a circular cut-off saw with a masonry blade. Other requirements include a 4-inch-diameter perforated flexible polypropylene pipe (drain tile) a supply of compactible base material (3/4-inch minus aggregate with fines) and gravel (3/4-inch free-draining aggregate without fines) to use as backfill.

1. Use stakes or a garden hose to mark the wall's placement
2. Using a shovel or a skid-steer loader, dig a trench 12 inches wider than the block you are installing and 6 inches deeper than the height of the block.
3. Firmly compact the soil in the bottom of the trench. Lay 6 inches of compactible base material in the bottom of the trench and compact. Install base in 2-3 inch lifts. (Fig. A)
4. Place base blocks or the first layer of the Anchor units without lips on the prepared base (lips must be manually knocked off units before placement). (Fig. B) Position the units side by side, in full contact with the base, and check level in both directions using your carpenter's level. Use a string line along the back edge of block to check for proper alignment. Fill cores (if applicable) and backfill with base material.
5. Continue assembling additional courses by placing units in a staggered relationship to the course beneath (running bond), pulling each unit forward until secure. (Fig. C) NOTE: Use free-draining gravel to backfill each additional course as it is installed.
6. Place drain tile behind the wall at grade to allow water to drain from the backfill. (Fig. D) Daylight the drain tile through the wall at every low point or every 50 feet of wall length and around the ends of the wall. Backfill with free-draining gravel 12 inches behind the wall, in 6-inch layers. Fill cores (if applicable) and voids. Organic soil or clay-type soil is not recommended for backfill material.
7. Fill area behind gravel with soil. (Fig. E) Firmly compact backfill soil behind the wall. Repeat steps 4, 5, 6 and 7 until the wall reaches the desired height. (Fig. F) Do not compact directly on top of the units. For walls taller than product's maximum gravity wall height consult a qualified engineer for information concerning proper design, backfill and geosynthetic reinforcement.
8. You may need partial blocks. To split a block, use a hammer and chisel to score the block on all sides. Pound the chisel on the score line until the block splits. For a smooth edge use a circular cut-off saw with a masonry blade. Read the operating manual before using a saw. Always wear eye protection when splitting blocks.
9. Finish wall with caps by starting at the lowest elevation. Place cap units side by side. For radius walls you will need to cut caps to fit. Carefully place glue on the top course and then place caps. If not finishing with caps, glue the top wall course.




Fig. A




Fig. B




Fig. C




Fig. D




Fig. E




Fig. F

Refer to anchorwall.com for instructions on installing freestanding walls and special applications.

PRODUCT LINES

4 & 6-INCH HIGH BLOCKS

NEW

Hudson Stone® Retaining Wall System



Units	Block
4-INCH	Approximate Dimensions* 4" x 8½" x 5½"
	Approximate Weight* 13 lbs.
Maximum Gravity Wall Height: 1'4"	
Available Colors: Granite, Antique Beige, Midnight, Tusk	

NEW

ChiselWall® Retaining Wall System



Units	Block	Cap
4-INCH	Approximate Dimensions* 4" x 12" x 7"	2" x 12" x 8"
	Approximate Weight* 24 lbs.	14 lbs.
Maximum Gravity Wall Height: 2'0"		
Available Colors: Native Soil		

NEW

Highland Stone® 3"/6" Retaining Wall System



Units	Large	Medium	Small
3-INCH	Approximate Dimensions* 3" x 18" x 11½"	3" x 12" x 11½"	3" x 6" x 11½"
	Approximate Weight* 41 lbs.	28 lbs.	14 lbs.



Units	Large	Medium	Small	Corner/Column
6-INCH	Approximate Dimensions* 6" x 18" x 12"	6" x 12" x 12"	6" x 6" x 12"	6" x 18" x 9"
	Approximate Weight* 78 lbs.	59 lbs.	30 lbs.	75 lbs.

Maximum Gravity Wall Height: 4'6"
Non-stock item. Available by special order only.

NEW

Highland Stone® Virtual Joint Retaining Wall System



Units	Large	Virtual Joint Left	Virtual Joint Right	Corner/Column
6-INCH	Approximate Dimensions* 6" x 18" x 12"	6" x 18" x 12"	6" x 18" x 12"	6" x 18" x 9"
	Approximate Weight* 78 lbs.	75 lbs.	73 lbs.	75 lbs.

Maximum Gravity Wall Height: 4'6"
Non-stock item. Available by special order only.

Diamond® 10D Retaining Wall System



Units	Stretcher	Corner/Column	Cap
6-INCH	Approximate Dimensions* 6" x 17¾" x 10"	6" x 18" x 9"	Front, 3" x 18" x 13" Back, 3" x 12" x 13"
	Approximate Weight* 52 lbs.	75 lbs.	49 lbs.

Maximum Gravity Wall Height: 3'6"
Available Colors: Native Soil & Midnight

Basic Accessories, Tools and Aggregates

Soil Reinforcement Grid, Landscaping Fabric, NDS and ADS Corrugated Pipe and Fittings, Saws, Blades and Tools, Glues and Sealants, Masonry Sand, White Masonry Sand, Concrete Sand, SB2 Granite Base, #57 Stone Drain Rock, 2" River Rock, Oversize River Rock, Pea Gravel and much more.

PRODUCT LINES

8-INCH HIGH BLOCKS



Diamond Pro Stone Cut® Retaining Wall System



Units	Block	Corner/Column	Cap
8-INCH	Approximate Dimensions* 8" x 18" x 12"	8" x 18" x 9"	4" x 17 ¹ / ₄ " / 12 ¹ / ₄ " x 10 ³ / ₈ "
	Approximate Weight* 77 lbs.	101 lbs.	49 lbs.

Maximum Gravity Wall Height: 4'0"
Available Colors: Granite, Antique Beige, Native Soil, Midnight

Diamond Pro Stone Cut® Virtual Joint Retaining Wall System



Units	Solid Face	Left Virtual Joint	Right Virtual Joint	Cap
8-INCH	Approximate Dimensions* 8" x 18" x 12"	8" x 18" x 12"	8" x 18" x 12"	4" x 17 ¹ / ₄ " / 12 ¹ / ₄ " x 10 ³ / ₈ "
	Approximate Weight* 77 lbs.	77 lbs.	77 lbs.	49 lbs.

Maximum Gravity Wall Height: 4'0"
Available PREMIUM Color: Canyon Slate

NEW

Diamond Pro® Quarried Face Retaining Wall System



Units	Block	Corner/Column	Cap
8-INCH	Approximate Dimensions* 8" x 18" x 12"	8" x 17" x 8"	4" x 18" / 12" x 12 ¹ / ₂ "
	Approximate Weight* 69 lbs.	80 lbs.	57 lbs.

Maximum Gravity Wall Height: 4'0"
Available Colors: Granite, Native Soil
Non-stock item. Available by Special Order Only.

NEW

Diamond Pro® Smooth Face Retaining Wall System



Units	Block	Corner/Column	Cap
8-INCH	Approximate Dimensions* 8" x 18" x 12"	8" x 16 ³ / ₄ " x 7 ¹ / ₂ "	4" x 17 ¹ / ₄ " / 12 ¹ / ₄ " x 10 ³ / ₈ "
	Approximate Weight* 69 lbs.	77 lbs.	57 lbs.

Maximum Gravity Wall Height: 4'0"
Available Colors: Granite, Midnight
Non-stock item. Available by Special Order Only.

NEW

Diamond Pro® Air Retaining Wall System




Units	Block	Corner/Column	Cap
8-INCH	Approximate Dimensions* 8" x 18" x 12"	8" x 18" x 9"	4" x 17 ¹ / ₄ " / 12" x 10 ³ / ₈ "
	Approximate Weight* 54 lbs.	101 lbs.	47 lbs.

Maximum Gravity Wall Height: 4'0"
Available Colors: Granite, Antique Beige, Native Soil, Midnight

Note: Product dimensions are height by face length by depth. Actual dimensions and weights may vary from these approximate values due to variations in manufacturing processes. Specifications may change without notice. Contact your Anchor representative for additional information.


INSPIRATION WALLS




Diamond Pro Quarried Face



Diamond Pro Stone Cut



Diamond 10D



Diamond Pro Stone Cut


INSPIRATION WALLS



Cut



Diamond Pro Smooth



Diamond Pro Stone Cut



ANCHOR DIAMOND™

PRODUCT COLORS



ANTIQUE BEIGE



GRANITE



NATIVE SOIL

LEGACY COLORS



CANYON SLATE



MIDNIGHT



TUSK

SELECT COLORS



PRODUCTS FOR THE RESIDENTIAL MARKET

Antique Brick & Block
1609 E. Ninth St.
Little Rock, AR 72202
☎ (501) 375-0060



For more info visit
www.antiquebrickinc.com

©2025 ANCHOR DIAMOND Group All rights reserved.